

# CATALOGUE OF PRODUCTS

## 2023



**antic kosta**  
since 1959

# FANS

## WE Series WE 100 Basic Fan

24,12€

CODE 56936



WE Series

Bathroom and WC fans at competitive prices – affordable to every customer, yet with excellent quality and beautiful design. These fans provide continuous or interrupted ventilation in the sanitary facilities at extremely low power consumption.


They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.

The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120 mm air ducts or pipes through a special adapter.


**WE Series**  
WE 100 Basic Fan

DF.1

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min <sup>-1</sup>	W	m³/h	IP	dB	Zone	°C					
WE 100	6912	6936	50 / 230	2430	13	105	24	29	2,3	+40	☑				
WE 100T	-	4208										☑			
WE 100HT	-	4215										☑	☑		
WE 100LT	-	7995										☑		☑	




# FANS

## WE Series WE 120 Basic Fan

26,80€

CODE 57063



WE Series

Bathroom and WC fans at competitive prices – affordable to every customer, yet with excellent quality and beautiful design. These fans provide continuous or interrupted ventilation in the sanitary facilities at extremely low power consumption.

They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.


The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120 mm air ducts or pipes through a special adapter.




**WE Series**  
WE 120 Basic Fan



















DF.1

Dimensions /mm/



Performance curves




Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage 	Rotational Speed 	Consumed power 	Maximum Flow Rate 	Protection Degree 	Noise Level 	Safety Zone 	Max Air Temperature 	Basic fan 	Timer 	Humidistat 	Light Relay 	LED Light
	<b>No</b>	<b>No</b>	Hz / V	min <sup>-1</sup>	W	m³/h	IP	dB	Zone	°C					
WE 120	6912	7063	50 / 230	2430	13	105	24	29	2,3	+40					
WE 120T	-	-													
WE 120HT	-	-													
WE 120LT	-	-													

# FANS

## OK Series OK 100 Inox Basic Fan

32,16€

CODE 53003



OK Series

Bathroom and WC fans at competitive prices – affordable to every customer, yet with excellent quality and beautiful design. These fans provide continuous or interrupted ventilation in the sanitary facilities at extremely low power consumption.


They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.

The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120 mm air ducts or pipes through a special adapter.


**OK Series**  
OK 100 Inox Basic Fan



























DF.1

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage 	Rotational Speed 	Consumed power 	Maximum Flow Rate 	Protection Degree 	Noise Level 	Safety Zone 	Max Air Temperature 	Basic fan 	Timer 	Humidistat 	Light Relay 	LED Light 	Noiseless Energy Efficient
	No	No	Hz / V	min <sup>-1</sup>	W	m³/h	IP	dB	Zone	°C						
OK 100	0330	2907	50 / 230	2430	13	105	24	29	2,3	+40						
OK 100T	-	6585														
OK 100HT	-	8251														
OK 100LT	-	6738														
OK 100LED	-	6882														
OK UE 100	0382	-	50 / 230	1980	2,3	100	24	25	2,3	+55						
OK UE 100 C	-	0399	50 / 230	1980	2,2	74	24	23	2,3	+55						



# FANS

## OK Series

### OK 100 Black-Inox Basic Fan

32,16€

CODE 52907



Bathroom and WC fans at competitive prices – affordable to every customer, yet with excellent quality and beautiful design. These fans provide continuous or interrupted ventilation in the sanitary facilities at extremely low power consumption.

They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.


The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120 mm air ducts or pipes through a special adapter.

OK Series


OK 100 Black-Inox Basic Fan

DF.1

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light	Noiseless Energy Efficient
	No	No	Hz / V	min <sup>-1</sup>	W	m³/h	IP	dB	Zone	°C						
OK 100	0330	3003	50 / 230	2430	13	105	24	29	2,3	+40	☑					
OK 100T	-	6585										☑				
OK 100HT	-	8251										☑	☑			
OK 100LT	-	6738										☑		☑		
OK 100LED	-	6882									☑				☑	
OK UE 100	0382	-	50 / 230	1980	2,3	100	24	25	2,3	+55						☑
OK UE 100 C	-	0399	50 / 230	1980	2,2	74	24	23	2,3	+55						☑

DOMESTIC FANS

# FANS

## OK Series OK 100 Basic Fan

28,14€

CODE 50347



OK Series

Bathroom and WC fans at competitive prices – affordable to every customer, yet with excellent quality and beautiful design. These fans provide continuous or interrupted ventilation in the sanitary facilities at extremely low power consumption.

They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.


The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120 mm air ducts or pipes through a special adapter.




**OK Series**  
OK 100 Basic Fan

DF.1

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light	Noiseless Energy Efficient
	No	No	Hz / V	min <sup>-1</sup>	W	m³/h	IP	dB	Zone	°C						
OK 100	0330	0347	50 / 230	2430	13	105	24	29	2,3	+40						
OK 100T	-	6585														
OK 100HT	-	8251														
OK 100LT	-	6738														
OK 100LED	-	6882														
OK UE 100	0382	-	50 / 230	1980	2,3	100	24	25	2,3	+55						
OK UE 100 C	-	0399	50 / 230	1980	2,2	74	24	23	2,3	+55						

DOMESTIC FANS

# FANS

## OK Series OK 120 Basic Fan

31,36€

CODE 56615



OK Series

Bathroom and WC fans at competitive prices – affordable to every customer, yet with excellent quality and beautiful design. These fans provide continuous or interrupted ventilation in the sanitary facilities at extremely low power consumption.


They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.

The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120 mm air ducts or pipes through a special adapter.


**OK Series**  
OK 120 Basic Fan






















DF.1

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage 	Rotational Speed 	Consumed power 	Maximum Flow Rate 	Protection Degree 	Noise Level 	Safety Zone 	Max Air Temperature 	Basic fan 	Timer 	Humidistat 	Light Relay 	LED Light 	Noiseless Energy Efficient
	No	No	Hz / V	min <sup>-1</sup>	W	m³/h	IP	dB	Zone	°C						
OK 120	0330	6615	50 / 230	2430	13	105	24	29	2,3	+40						
OK 120T	-	-														
OK 120HT	-	-														
OK 120LT	-	-														
OK 120LED	-	-														
OK UE 120	-	-	50 / 230	1980	2,3	100	24	25	2,3	+55						
OK UE 120 C	-	-	50 / 230	1980	2,2	74	24	23	2,3	+55						

DOMESTIC FANS



# FANS

## MM Series MMP 100/105 Basic Fan

45,02€

CODE 58312



MMP Series

MMP Series – Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal. Elegant and beautiful fans with high airflow and impeccable quality that will make your bathroom stylish and bring freshness to your home.


These fans secure continuous or interrupted ventilation in the sanitary facilities. They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.

The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120mm air ducts or pipes through a special adapter.


MM Series  
MMP 100/105 Basic Fan

DF.3

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min <sup>-1</sup>	W	m³/h	IP	dB	Zone	°C					
MMP EC 100	-	8312	50 / 230	2430	13	105	24	29	2,3	+40	☑				
MMP EC 100T	-	-										☑			
MMP EC 100HT	-	-										☑	☑		
MMP EC 100LT	-	-										☑		☑	
MMP EC 100LED	-	-									☑				☑

# FANS

## MM Series MMP EC 100 Basic Fan

44,76€

CODE 58329



MM Series

MMP Series – Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal. Elegant and beautiful fans with high airflow and impeccable quality that will make your bathroom stylish and bring freshness to your home.

These fans secure continuous or interrupted ventilation in the sanitary facilities. They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.


The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120mm air ducts or pipes through a special adapter.




MM Series  
MMP EC 100 Basic Fan

DF.3

Dimensions /mm/



Performance curves



DOMESTIC FANS

Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min <sup>-1</sup>	W	m³/h	IP	dB	Zone	°C					
MMP EC 100	-	8329	50 / 230	2430	13	105	24	29	2,3	+40	<input checked="" type="checkbox"/>				
MMP EC 100T	-	-										<input checked="" type="checkbox"/>			
MMP EC 100HT	-	-										<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
MMP EC 100LT	-	-										<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	
MMP EC 100LED	-	-									<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>

# FANS

## MM Series MMP EC 100/105 Basic Fan

41,54€

CODE 58275



MM Series

MMP Series – Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal. Elegant and beautiful fans with high airflow and impeccable quality that will make your bathroom stylish and bring freshness to your home.

These fans secure continuous or interrupted ventilation in the sanitary facilities. They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.


The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120mm air ducts or pipes through a special adapter.

MM Series


MMP EC 100/105 Basic Fan

DF.3

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min <sup>-1</sup>	W	m³/h	IP	dB	Zone	°C					
MMP EC 100	-	8275	50 / 230	2430	13	105	24	29	2,3	+40					
MMP EC 100T	-	-													
MMP EC 100HT	-	-													
MMP EC 100LT	-	-													
MMP EC 100LED	-	-													

# FANS

## MM Series MMP SC Glass 100/105 Basic Fan

60,84€

CODE 58466



MM Series

MMP Series – Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal. Elegant and beautiful fans with high airflow and impeccable quality that will make your bathroom stylish and bring freshness to your home.


These fans secure continuous or interrupted ventilation in the sanitary facilities. They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.

The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120mm air ducts or pipes through a special adapter.


MM Series  
MMP SC 100/105 Basic Fan

DF.3

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min <sup>-1</sup>	W	m³/h	IP	dB	Zone	°C					
MMP SC 100	-	8466	50 / 230	2430	13	105	24	29	2,3	+40					
MMP SC 100T	-	9906													
MMP SC 100HT	-	9890													
MMP SC 100LT	-	-													
MMP SC 100LED	-	-													




# FANS

## MM Series

MMP SC 100/105 Inox Basic Fan

60,84€

CODE 59043



MM Series

MMP Series – Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal. Elegant and beautiful fans with high airflow and impeccable quality that will make your bathroom stylish and bring freshness to your home.


These fans secure continuous or interrupted ventilation in the sanitary facilities. They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.

The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120mm air ducts or pipes through a special adapter.


MM Series  
MMP SC 100/105 Inox Basic Fan

DF.3

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min <sup>-1</sup>	W	m³/h	IP	dB	Zone	°C					
MMP SC 100	-	9034	50 / 230	2430	13	105	24	29	2,3	+40	☑				
MMP SC 100T	-	9906										☑			
MMP SC 100HT	-	9890										☑	☑		
MMP SC 100LT	-	-										☑		☑	
MMP SC 100LED	-	-									☑				☑

# FANS

## MM Series MMP EC 100/105 Basic Fan

74,78€

CODE 58459



MM Series

MMP Series – Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal. Elegant and beautiful fans with high airflow and impeccable quality that will make your bathroom stylish and bring freshness to your home.

These fans secure continuous or interrupted ventilation in the sanitary facilities. They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.


The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120mm air ducts or pipes through a special adapter.

MM Series


MMP EC 100/105 Basic Fan

DF.3

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min <sup>-1</sup>	W	m <sup>3</sup> /h	IP	dB	Zone	°C					
MMP EC 100	-	8459	50 / 230	2430	13	105	24	29	2,3	+40					
MMP EC 100T	-	-													
MMP EC 100HT	-	-													
MMP EC 100LT	-	-													
MMP EC 100LED	-	-													

# FANS

## MM Series

MMP SC 100/105 Metal Basic Fan

50,66€

CODE 58473



MM Series

MMP Series – Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal. Elegant and beautiful fans with high airflow and impeccable quality that will make your bathroom stylish and bring freshness to your home.

These fans secure continuous or interrupted ventilation in the sanitary facilities. They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.

The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120mm air ducts or pipes through a special adapter.




MM Series


MMP SC 100/105 Metal Basic Fan

DF.3

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min <sup>-1</sup>	W	m <sup>3</sup> /h	IP	dB	Zone	°C					
MMP SC 100	-	8473	50 / 230	2430	13	105	24	29	2,3	+40					
MMP SC 100T	-	-													
MMP SC 100HT	-	-													
MMP SC 100LT	-	-													
MMP SC 100LED	-	-													

DOMESTIC FANS


# FANS

## MM Series

### MMP SC 100/105 Metal Basic Fan

50,12€

CODE 58480



MM Series

MMP Series – Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal. Elegant and beautiful fans with high airflow and impeccable quality that will make your bathroom stylish and bring freshness to your home.


These fans secure continuous or interrupted ventilation in the sanitary facilities. They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.

The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120mm air ducts or pipes through a special adapter.


**MM Series**  
MMP SC 100/105 Metal Basic Fan

DF.3

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min <sup>-1</sup>	W	m³/h	IP	dB	Zone	°C					
MMP SC 100	-	8480	50 / 230	2430	13	105	24	29	2,3	+40					
MMP SC 100T	-	-													
MMP SC 100HT	-	-													
MMP SC 100LT	-	-													
MMP SC 100LED	-	-													

# FANS

## OK Series OK 100 LED Matte Basic Fan

46,10€

CODE 56882



OK Series

**MMP Series** – Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal. Elegant and beautiful fans with high airflow and impeccable quality that will make your bathroom stylish and bring freshness to your home.

These fans secure continuous or interrupted ventilation in the sanitary facilities. They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.


The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120mm air ducts or pipes through a special adapter.

OK Series


OK 100 LED Matte Basic Fan

DF.3

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light	Noiseless Energy Efficient
	No	No	Hz / V	min <sup>-1</sup>	W	m <sup>3</sup> /h	IP	dB	Zone	°C						
OK 100	0330	2907	50 / 230	2430	13	105	24	29	2,3	+40						
OK 100T	-	6585														
OK 100HT	-	8251														
OK 100LT	-	6738														
OK 100LED	-	6882														
OK UE 100	0382	-	50 / 230	1980	2,3	100	24	25	2,3	+55						
OK UE 100 C	-	0399	50 / 230	1980	2,2	74	24	23	2,3	+55						

DOMESTIC FANS



# FANS

## MM Series

### MM Q 120 Metal Basic Fan

50,66€

CODE 51085



MM Series

MM Q Series – Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal. Elegant and beautiful fans with high airflow and impeccable quality that will make your bathroom stylish and bring freshness to your home.


These fans secure continuous or interrupted ventilation in the sanitary facilities. They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.

The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120mm air ducts or pipes through a special adapter.


MM Series  
MM Q 120 Metal Basic Fan

DF.3

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min <sup>-1</sup>	W	m³/h	IP	dB	Zone	°C					
MM Q 120	-	1085	50 / 230	2430	13	105	24	29	2,3	+40					
MM Q 120T	-	-													
MM Q 120HT	-	-													
MM Q 120LT	-	-													
MM Q 120LED	-	-													

# FANS

## MM Series MM CLR 100 Basic Fan

43,42€

CODE 51030



MM Series

**MMP Series** – Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal. Elegant and beautiful fans with high airflow and impeccable quality that will make your bathroom stylish and bring freshness to your home.

These fans secure continuous or interrupted ventilation in the sanitary facilities. They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.


The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120mm air ducts or pipes through a special adapter.

MM Series  
MM CLR 100 Basic Fan


DF.3

Dimensions /mm/

Back Shutter



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min <sup>-1</sup>	W	m³/h	IP	dB	Zone	°C					
MM CLR 100	1016	1030	50 / 230	2430	13	105	24	29	2,3	+40	☑				
MM CLR 100T	-	-										☑			
MM CLR 100HT	-	-										☑	☑		
MM CLR 100LT	-	-										☑		☑	
MM CLR 100LED	-	3973													☑

# FANS

## MM Series MM 100 Basic Fan

43,42€

CODE 51047



MM Series

MM Series – Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal. Elegant and beautiful fans with high airflow and impeccable quality that will make your bathroom stylish and bring freshness to your home.

These fans secure continuous or interrupted ventilation in the sanitary facilities. They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.


The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120mm air ducts or pipes through a special adapter.




**MM Series**  
MM 100 Basic Fan

DF.3

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min <sup>-1</sup>	W	m³/h	IP	dB	Zone	°C					
MM 100	-	1047	50 / 230	2430	13	105	24	29	2,3	+40	☑				
MM 100T	-	-										☑			
MM 100HT	-	-										☑	☑		
MM 100LT	-	-										☑		☑	
MM 100LED	-	-									☑				☑

# FANS

## MM Series MMP 100 Black Basic Fan

60,84€

CODE 59036



OK Series

Bathroom and WC fans at competitive prices – affordable to every customer, yet with excellent quality and beautiful design. These fans provide continuous or interrupted ventilation in the sanitary facilities at extremely low power consumption.


They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.

The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120 mm air ducts or pipes through a special adapter.


**MM Series**  
**MMP 100 Black Basic Fan**

DF.2

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min <sup>-1</sup>	W	m³/h	IP	dB	Zone	°C					
MMP 100	-	1085	50 / 230	2430	13	105	24	29	2,3	+40					
MMP 100T	-	-													
MMP 100HT	-	-													
MMP 100LT	-	-													
MMP 100LED	-	4994													

# FANS

## MM Series

MMP UE 100 Glass Matte Basic Fan

79,86€

CODE 59302



MMP Series

MMP Series – Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal. Elegant and beautiful fans with high airflow and impeccable quality that will make your bathroom stylish and bring freshness to your home.


These fans secure continuous or interrupted ventilation in the sanitary facilities. They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.

The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120mm air ducts or pipes through a special adapter.


MM Series  
MMP UE 100 Glass Matte Basic Fan

DF.3

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min <sup>-1</sup>	W	m <sup>3</sup> /h	IP	dB	Zone	°C					
MMP UE 100	-	9302	50 / 230	2430	13	105	24	29	2,3	+40					
MMP UE 100T	-	-													
MMP UE 100HT	-	-													
MMP UE 100LT	-	-													
MMP UE 100LED	-	-													




# FANS

## MM Series

MMP LED 100 Black Basic Fan

78,80€

CODE 54994



MM Series

MMP Series – Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal. Elegant and beautiful fans with high airflow and impeccable quality that will make your bathroom stylish and bring freshness to your home.


These fans secure continuous or interrupted ventilation in the sanitary facilities. They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.

The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120mm air ducts or pipes through a special adapter.


MM Series  
MMP LED 100 Black Basic Fan

DF.3

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min <sup>-1</sup>	W	m <sup>3</sup> /h	IP	dB	Zone	°C					
MMP 100	-	1085	50 / 230	2430	13	105	24	29	2,3	+40					
MMP 100T	-	-													
MMP 100HT	-	-													
MMP 100LT	-	-													
MMP 100LED	-	4994													

# FANS

## MM Series

MMP LED 100 White Glass Basic Fan

78,80€

CODE 50900



MM Series

MMP Series – Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal. Elegant and beautiful fans with high airflow and impeccable quality that will make your bathroom stylish and bring freshness to your home.


These fans secure continuous or interrupted ventilation in the sanitary facilities. They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.

The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120mm air ducts or pipes through a special adapter.


MM Series  
MMP LED 100 White Glass Basic Fan

DF.3

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min <sup>-1</sup>	W	m <sup>3</sup> /h	IP	dB	Zone	°C					
MMP 100	-	1085	50 / 230	2430	13	105	24	29	2,3	+40	☑				
MMP 100T	-	-										☑			
MMP 100HT	-	-										☑	☑		
MMP 100LT	-	-										☑		☑	
MMP 100LED	-	0900									☑				☑

# FANS

## MM Series

MMP LED 100 Inox Glass Basic Fan

78,80€

CODE 50917



MM Series

MMP Series – Designer series of bathroom and WC fans with spectacular front panel made of glass, PVC or metal. Elegant and beautiful fans with high airflow and impeccable quality that will make your bathroom stylish and bring freshness to your home.


These fans secure continuous or interrupted ventilation in the sanitary facilities. They can be used to purge air from small and medium-sized residential, office and commercial premises or as heat exchangers between adjacent premises.

The fans are mounted on walls, ceilings and suspended ceilings and are attached to air ducts or pipes of the building's ventilation system with a connection diameter of 100 mm, as well as to 120mm air ducts or pipes through a special adapter.


MM Series  
MMP LED 100 Inox Glass Basic Fan

DF.3

Dimensions /mm/



Performance curves



Type	Product Code	Product Code with Back Shutter / Accessory /	Supply Voltage	Rotational Speed	Consumed power	Maximum Flow Rate	Protection Degree	Noise Level	Safety Zone	Max Air Temperature	Basic fan	Timer	Humidistat	Light Relay	LED Light
	No	No	Hz / V	min <sup>-1</sup>	W	m³/h	IP	dB	Zone	°C					
MMP 100	-	-	50 / 230	2430	13	105	24	29	2,3	+40					
MMP 100T	-	-													
MMP 100HT	-	-													
MMP 100LT	-	-													
MMP 100LED	-	0917													





**antic kosta**



**ANTIC KOSTA d.o.o.**

The company for production, services and sales  
**EXPORT - IMPORT**

Serbia, 37212 STALAC, dr Ilija Nagulic Street no.66

phone: +381 37 806 144

mob: +386 70 343 566

WhatsApp: +386 70 343 566

e-mail: [bata@antic-kosta.com](mailto:bata@antic-kosta.com)

[www.antic-kosta.com](http://www.antic-kosta.com)